



Energizer Brands, LLC. 533 Maryville University Drive St. Louis, MO 63141 1-314-985-2000 www.Energizer.com

Lithium Battery Test Summary CR2430

Product: Energizer CR2430 Lithium Batteries

| Name of cell manufacturer | Energizer Brands, LLC | |
|-------------------------------------|--|--|
| Cell manufacturer contact | 533 Maryville University Drive, St. Louis, MO 63141 | |
| information | 314-985-2000 | |
| | E-mail: Enviro-Regulatory@Energizer.com | |
| | www.energizer.com | |
| Test laboratory contact information | Energizer | |
| | 25225 Detroit Road, Westlake, OH 44145 | |
| | 1-800-383-7323 | |
| | E-mail: Enviro-Regulatory@Energizer.com | |
| | www.energizer.com | |
| Test report identification number | 2430:D:012018 | |
| | 2430:L:2018 | |
| Date of test report | 15 Jan 2018 | |
| | 28 Sept 2018 | |
| Description of cell | Battery type: Lithium Manganese Dioxide Battery | |
| | Weight of battery: 4.59 g | |
| | Lithium content: less than 0.3 g | |
| | Battery description: CR2430 Lithium Coin Cell | |
| | Model Number: CR2430 | |
| Reference assembled battery testing | N/A | |
| requirements | | |









Energizer Brands, LLC. 533 Maryville University Drive St. Louis, MO 63141 1-314-985-2000 www.Energizer.com

Energizer hereby certifies that the CR2430 cell meets all the requirements outlined in the Manual of Tests and Criteria of the UN Recommendations on the Transport of Dangerous Goods, Part III, sub-section 38.3. The CR2430 battery passes all the T-test as described in the table below.

| l of Tests and Criteria (38.3 Rev. 6 Lithium batteries) | Test Result |
|---|---|
| Test | Pass |
| Altitude simulation | Pass |
| Thermal test | Pass |
| Vibration | Pass |
| Shock | Pass |
| External short circuit | Pass |
| Impact | Pass |
| Overcharge | Not applicable |
| Forced discharge | Pass |
| 1.2 Meter Drop Test (packaging test) | |
| 2.5 kg maximum air shipment packaging | Pass Pass |
| | Test Altitude simulation Thermal test Vibration Shock External short circuit Impact Overcharge Forced discharge 1.2 Meter Drop Test (packaging test) |

Mario K. Boolil

Marcus K. Boolish Manager of Environmental Affairs, Standards & Product Safety 4 February 2018



